
Wire,
Iron, and
Bronze Work




Quality Products—Quick Shipments

KENTUCKY IRON WORK CO.

INCORPORATED

521 S. Second St. **LOUISVILLE, KY.**



Kentucky Rust Proof
Screen Door Grilles

IMMEDIATE SHIPMENTS
FROM STOCK

KENTUCKY Products

Arches, Wire or ***Wrought Iron***
Artistic ***Wrought Iron***

Balconies, ***Wrought Iron***
Baskets, Wire
Brackets, Sign
Brass and Bronze Work

Cages, Wire and Iron
Cages, Bank
Cloth, Wire—All Kinds
Coal Hole Covers
Chairs, Iron

Doors, Ash Pit
Doors, Bronze
Doors, Cellar
Doors, Fire
Doors, Hollow Metal
Doors, Kalamein
Doors, Sidewalk
Doors, Vault
Doors, Wire

Entrances, Bronze
Entrance, Cast Iron
Entrance, ***Wrought Iron***
Escapes, Fire

Fences, Iron, Wire
Fences, Wood Rustic
Fire Escapes
Flag Poles

Garden Furniture
Gates, Folding
Gates, Iron, Wire
Gratings, Area and Sidewalk
Grilles, Brass and Bronze
Grilles, Cast
Grilles, Perforated
Grilles, Screen Door
Grilles, Wire and Iron
Guards, Door
Guards, Machinery
Guards, Skylight
Guards, Window
Guards, Wire and Iron

Hinges, Artistic Metal

Kick Plates, Brass or Steel

Ladders, Brass
Ladders, Iron
Lawn Furniture
Lighting Fixtures, ***Wrought Iron***
Letters, Bronze
Lockers, Steel

Marquise

Name Plates, Bronze

Ornamental Iron and Bronze

Partitions, Toilet
Partitions, Wire
Push Rods, Brass

Railings, Brass and Bronze
Railings, Counter
Railings, Pipe
Railings, Wire
Railings, ***Wrought Iron***

Screens—Heavy Wire
Settees, Wire and Iron
Signs, Brass and Bronze
Signs, Wire and Iron
Stairs, Iron and Steel


Tablets, Bronze
Thresholds, any style
Trellises, Wire
Trellises, Wood

Weather Vanes
Wickets
Window Guards
Wire Work of all Kinds
Wrought Iron Work

Send us inquiries on any special metal work.

KENTUCKY Wire Window Guards

STANDARD GUARDS



ROUND FRAME GUARD STYLE No. 20

IMMEDIATE SHIPMENT OF STOCK SIZES

2 ft. 6 in. wide x 5 ft. 0 in. high
2 ft. 8 in. wide x 5 ft. 0 in. high
2 ft. 8 in. wide x 5 ft. 2 in. high
2 ft. 10 in. wide x 5 ft. 0 in. high
2 ft. 10 in. wide x 5 ft. 2 in. high
3 ft. 0 in. wide x 5 ft. 0 in. high
3 ft. 0 in. wide x 5 ft. 2 in. high
3 ft. 2 in. wide x 5 ft. 2 in. high
3 ft. 2 in. wide x 5 ft. 8 in. high
3 ft. 4 in. wide x 5 ft. 2 in. high
3 ft. 4 in. wide x 5 ft. 8 in. high
3 ft. 6 in. wide x 5 ft. 8 in. high


Above stock sizes made of 1½-inch diamond mesh, No. 10 wire, ⅜-inch round frame, painted green.

Other specifications furnished as ordered.

Any mesh size wire or frame.

METHODS OF INSTALLATION


May be furnished with any kind of hinging arrangement or locking device, according to your requirements.



Std. Lug or Hinge

Std. Hasp For Padlock

Standard Method of hanging round frame guards on inside. Guards can be furnished with screw lugs on all sides if so ordered.



Std. Hasp For Padlock

Std. Lug or Hinge

Standard method of hinging round frame guards on outside.

Staples for erection of round frame guards are furnished unless guards are otherwise specified.

Our Large Stock of all parts enable us to make prompt shipment of any special orders.


Let us quote on your requirements.

HOT DIP GALVANIZED Finish when so specified.

Use **KENTUCKY** Window Guards

KENTUCKY Wire Guards

No. 20 ROUND FRAME GUARDS



SPECIFICATIONS:
ROUND WIRE
ROUND FRAME
DIAMOND MESH

Following is a list of ordinary meshes. Frames may be ¼-in., ⅜-in. or ½-in. diameter round iron. Painted green. Other constructions furnished as required.

No. 30 CHANNEL FRAME GUARDS


SPECIFICATIONS:
ROUND WIRE
CHANNEL FRAME
DIAMOND MESH

These guards are made with strong and substantial channel iron frames. Usually these are made to screw in window jamb, but can be made with hinges and hasps or other locking devices if desired. Frames are usually ¾-in. or 1-in. steel channel. Standard finish is green. Other finishes as specified.



STANDARD MESHES FOR WIRE GUARDS

1	-inch Mesh.	No. 14	Wire.
1	-inch Mesh.	No. 12	Wire.
1¼	-inch Mesh.	No. 12	Wire.
1½	-inch Mesh.	No. 10	Wire.
2	-inch Mesh.	No. 10	Wire.
2	-inch Mesh.	No. 8	Wire.
2½	-inch Mesh.	No. 7	Wire.
3	-inch Mesh.	No. 6	Wire.



No. 21 ROUND FRAME GUARD

Removable type for night protection where guards are removed during day. Let us quote upon your requirements.

WIRE GUARDS for U. S. Govt. Work a Specialty




WIRE SIGNS

Made with metal letters or with raised wood letters.
Send us rough sketch and dimensions for prices.
Steel gates as shown are made to meet any requirement.


Use **KENTUCKY** Wire Work

KENTUCKY Wire Cloth


Plain steel wire cloth—steel cloth galvanized before weaving or galvanized after weaving. Solid copper, brass or bronze cloth. Cloth can be furnished cut to sizes or in rolls to meet your requirements. Any mesh, any size of wire.



2 Mesh; .162 Wire



3 Mesh, .162 Wire



4 Mesh; .105 Wire

SQUARE MESH WIRE CLOTH


Other popular specifications are 2½ mesh, .135 wire and 3 mesh, .047 wire.

Send list of sizes and specifications for prices.

Cut Showing Exact Sizes of Wire by Standard Wire Gauge

The Washburn & Moen gauge is the standard gauge. Be sure you do not get the Brown & Sharpe gauge which is still used by some manufacturers. It is two gauges lighter and much cheaper.


No. 10 W. & M. is equivalent to No. 8 B. & S. We use the W. & M. gauge unless otherwise specified.



Give mesh of cloth and size of wire when writing for estimate

Use **KENTUCKY** Wire Cloth

KENTUCKY Wire Partitions



KENTUCKY STOCK PARTITIONS

Built for heavy duty and rugged service in Garages and Industrial Plants.

Whatever your conditions KENTUCKY Wire Partitions will be made to fit.

Lower half of Partition may be of solid sheet if desired.

SEND SPECIFICATIONS FOR PRICES

STANDARD PANELS

2-inch Diamond Mesh of No. 8 Wire and 1½-inch Diamond Mesh of No. 10 Wire are standard constructions set in 1-inch Channel Frames.

Any Mesh or any Wire can be furnished as required.

The lower rail of each section is set 4 inches above floor so that the floor may be kept clean, but the wirework may be set directly on floor if desired.

MESH MADE OF SQUARE WIRE




Illustration showing Mesh of ⅛-inch Square Wire, Pressed Crimp.

Grilles and Screen Panels of similar construction made promptly.

GET OUR PRICES




PARTITION WINDOWS

Partitions are made with service windows to meet any requirement. Any style can be furnished—either to slide up, swing out or fold down. Locks, bolts or latches are put on to suit the particular conditions.

SHELVES

Are made of either wood or steel.



BANK CAGES AND PARTITIONS

Illustration of flat wire Partition with Square Tube framework. Gravity Sliding Door and Pass Basket.


KENTUCKY Partitions of high grade workmanship and finish are used in Banks and Offices everywhere.

Any metal, any style Crimp, Electroplated, Lacquered or Enameled.

Stock parts mean low prices and quick shipments. Send us your specifications.

Use **KENTUCKY** Partitions


KENTUCKY Wire Partitions



GRAVITY SLIDING DOORS


Of any size can be put in partitions where required. They are convenient, safe and durable and close of their own weight. Our Standard Sliding doors travel on ball bearing hangers in enclosed tracks.

Bronze sliding door locks are Standard equipment.



Swinging type doors are installed where needed. Doors are of highest grade construction. Yale locks are standard construction. Other locks furnished where specified.

STURDY KENTUCKY CONSTRUCTION



Cut showing method of fastening wire mesh to channel frames.

1-inch x ½-inch channels are standard construction. Larger channels are used on exceptional heights or for special service.




Illustration of Channel Stiffener used over the top of long stretches of partitions to hold panels rigid and in perfect alignment.




ILLUSTRATION OF
TRACK WITH
ENCLOSED HANGER

DOORS SLIDING OR HINGED

To meet your special conditions.




Illustration showing covering bar which is used around door frames. Doors are well made to withstand rough usage.

Use **KENTUCKY** Wire Work

KENTUCKY Safety Guards

Built to Insurance Company Specifications where required.




Seventy-five Machinery Guards Installed in Above Plant.
Manufactured in accordance with National Safety Code.


KENTUCKY MACHINERY GUARDS


Made in any size, shape or construction to meet particular conditions.

Send rough sketch and dimensions for prices.



EXPANDED METAL GUARDS





Guards are also furnished made from expanded metal but are slightly more expensive.

Standard specifications for mesh are:


1½-inch diamond mesh No. 13 gauge
¾-inch diamond mesh No. 13 gauge
½-inch diamond mesh No. 18 gauge

Expanded metal guards are usually furnished with angle frames.

Use **KENTUCKY** Safety Guards


KENTUCKY Grilles

Quick Shipments from Large Stocks of Materials.
Highest Grade Work—Low Prices




No. 974 GRILLE

Stock Specifications—1½-inch square mesh,. ¼-inch Flat grille wire, ½-inch channel frame steel or Solid Bronze, any finish.
Made to other specifications as required.




No. 976 GRILLE

Stock Specification: 1½-inch Square Mesh, ¼-inch Flat grille wire, twisted, ½-inch Channel Frame, Steel or Solid Bronze; any finish.
Grilles made to Architect's Specifications.



No. 977 GRILLE

Stock Specifications—1½-inch Square Mesh, ¼-inch Flat grille wire, twisted, ½-inch Channel Frame, Steel or Solid Bronze; any finish. Same with Flat Crimp is No. 975.
Made to other specifications as required.




No. 70 GRILLE

No. 70 IMITATION METAL CANE

In Stock Panels up to size 10 ft. by 3 ft.


This metal electroplated statuary bronze makes a very attractive grille. We furnish with angle frames, flat frame or without frames. Any finish or plain steel.

SEND FOR SAMPLE



No. 804 GRILLE

Perforated from No. 12 gauge sheet furnished any size, any finish.



No. 801 GRILLE


Perforated from No. 12 gauge sheet furnished any size, any finish.

Sheets 36-in x 96-inch carried in stock for immediate shipment. These sheets may be cut to your exact sizes and shipped either with or without frames.


Send us your inquiries.

KENTUCKY Rustproof Screen Door Grilles

FLAT TYPE




No. 864 GRILLE




No. 865 GRILLE

TWISTED TYPE



No. 866 GRILLE



No. 867 GRILLE


Illustrations show common methods of installation on screen doors. These grilles may be had in 10 ft. sheets, 30 inches high and 24 inches high or in sizes cut to your requirements.

Made of $\frac{5}{16}$-inch Flat Steel Wire or ¼-inch Flat Copper Wire.

Use **KENTUCKY** Screen Door Grilles

KENTUCKY Door Grilles Standard or Special

Ask Us For Samples



Nos. 864, 865, 866, and 867 styles of grilles are carried in stock in 10 ft. sheets. Either 30-inch or 24-inch high.

Grilles cut to your own sizes can be shipped promptly.

Standard Top Bars for No. 865 and 867 grilles are made of heavy cold rolled ovals which add much to the appearance and keep the grille always straight and rigid during its life on the door.

Top bars can be furnished of round tubing at small additional cost.

Steel or solid copper.


WHEN ORDERING STATE

STYLE WANTED—No. 864, 865, 866, or 867.

MESH WANTED—2-inch, 1½-inch or 1-inch.

METAL WANTED—Steel or solid copper.

FINISH WANTED—Duplex brass, duplex statuary, oxidized copper, statuary bronze, dead black, plain galvanized, or solid copper natural finish.




FRAMED GRILLE

STYLE No. 980

Made of ¼-inch Flat Grill Wire, twisted, 1½-inch square mesh with ½-inch channel frame. Any finish. Standard sizes as follows:

22¾-inch wide x 24-inch high
24¾-inch wide x 24-inch high
26¾-inch wide x 24-inch high
28¾-inch wide x 24-inch high
34¾-inch wide x 24-inch high

Other sizes as ordered.




STYLE No. 81


Bar Grille of unusual design. Made of either solid bronze or steel. Any size or finish.

KENTUCKY Rustproof Grilles

These Styles Are Specially Adapted to the Hardware Trade



No. 864A GRILLE
Flat Type without Scroll.




STYLE No. 865A
Flat type with scroll and top bar.

Above grilles are made of $\frac{1}{16}$-inch wide flat steel grille wire HOT GALVANIZED. Frame of same material as grille. Screw holes are spaced at regular intervals for fastening to face of door stiles.

Stock sizes are 30-inch, 32-inch and 34-inch wide by 24-inch high.

Packed one dozen, size 32x24, in a corrugated carton; also one dozen assorted (4 of each size) in a carton.

Standard finishes are, Dead Black, Brass Lacquer and Oxidized Copper.




No. 874 GRILLE

Adjustable

Made of $\frac{1}{16}$-inch Grille Wire

A very popular flat type grille with extensions and screw clips for fastening to door stiles. Made of $\frac{1}{16}$-inch wide, flat steel grille wire. Size over all 36-inch wide by 24-inch high.

Packed one dozen to a corrugated carton which keeps them clean and lustrous.



No. 875 GRILLE

Adjustable


Same as No. 874 except for scroll top.

KENTUCKY Round Wire Grilles

Push Rods and Kick Plates


IMMEDIATE SHIPMENT OF STOCK MESHWORK

Furnished in rolls or in flat pieces cut to your size.



No. 944 GRILLE

1-inch diamond mesh, No. 14 wire.



No. 981 GRILLE

1-inch square mesh, No. 14 wire.

Plain Meshwork may be furnished to any requirements and made of either galvanized steel or solid copper wire. Natural Finish.

Send your specifications for Prices.

Quality Wire Work

BRASS PUSH RODS




No. 56

½-inch diameter brass iron lined tube with solid brass fittings, polished finish. May be used singly or two or three rods on same door.


Rods carried in stock 12 feet long and may be cut to any length required.

If wanted made of 1-inch diameter specify No. 82.



No. 83

Triple push rod made of ½-inch diameter tube, other specifications same as No. 56.




KICK PLATES AND PUSH PLATES

Made in solid brass and steel, any size, style or finish.


Let us quote on your requirements.

KENTUCKY Guards and Grilles

Send Us Your Specifications for Prices




STYLE No. 50




X

Showing guard fastened to wood casing.




Y


Showing guard built into brick.



STYLE No. 40



STYLE No. 70




STYLE No. 102


Use **KENTUCKY** Guards

KENTUCKY Metal Grilles


Grilles made to any size, style or finish. Steel, brass or bronze.




STYLE No. 103



STYLE No. 104



STYLE No. 105



STYLE No. 106

Use **KENTUCKY** Grilles

KENTUCKY *Wrought Iron* Railings

ARTISTIC—STRONG—LASTING


Railings furnished in our standard patterns or to special design. Made to meet any requirement. Send us rough sketch for prices.




STYLE No. 242




STYLE No. 245




STYLE No. 250




STYLE No. 260




STYLE No. 262



STYLE No. 264




STYLE No. 266




STYLE No. 500


KENTUCKY Iron Work




ACCESS DOOR No. 3
Installs flush with wall and is inconspicuous.




STEEL SIDEWALK DOOR No. 7
Plain steel door with angle frame. A good economical door.



STEEL SIDEWALK DOOR No. 8
Made with diamond plate. Watertite type of channel frame.




COAL HOLE RING AND COVER No. 11
Cast iron of heavy weight.




AREA GRATING No. 12

Standard specifications are 1¼x¼-inch bars, 1¼-inch C. C. Furnished either with or without angle frame.



AREA OR BASEMENT GRATING No. 13


Send sketch or size for prices.



AREA GRATING No. 14


Made with extensions for casting directly into the concrete. Let us quote on your requirements.

KENTUCKY Grilles and Gates



WICKET No. 896


Standard Specifications—¼-inch Flat Wire 1½-inch square mesh, ½-inch channel frame any finish.



No. 60 GRILLE


Bank type of grille made to any specification or finish.

Provided with hinges and lock where required.



FOLDING GATES


Single Channel—Diagonal Mesh.




FOLDING GATES

Double Channel Uprights—Flat Diagonals


Folding Gates—Made single or double, any width or height.



IRON BAR DOOR
STYLE No. 55




VAULT DOORS
STYLE No. 62



STEEL STAIR
STYLE No. 10

Made to any State specifications.



FIRE ESCAPES


Made to any State specifications.
Send us inquiries.

KENTUCKY Iron Fence



DESIGN No. 800

A round picket "Hairpin" style fence. The standard matching gate shown is No. 2.



DESIGN No. 900

Dignified square picket fence. Matching gate shown is No. 5 with No. 2 Gate Posts.



DESIGN No. 980

Square picket fence with pickets set diagonally and ornamental row of squares between upper rails. Matching gate is Design No. 7, with Newel Gate Posts.



ENTRANCE GATE No. 50



ENTRANCE GATE No. 54

KENTUCKY Settees

Painted Green.



No. 370—WOOD SLATS

4 feet long, weight 43 lbs.
5 feet long, weight, 47 lbs.
6 feet long, weight 52 lbs.

Channel Iron Frame.

Top slat in back, 4x⅞-inch. Front slat in seat, 4x⅞-inch. Beveled edges. All other slats, 2½x⅞-inch.


Thousands of these settees are in use in parks, playgrounds, athletic fields, and hundreds of other places where a comfortable and substantial settee at a small cost is required.




No. 354—STEEL SETTEE

4 feet long, weight, 69 lbs.
5 feet long, weight, 79 lbs.
6 feet long, weight, 98 lbs.

KENTUCKY Settees




The "Lite-Wate" Settee is convenient to move about. It actually weighs only 19 lbs., is 42 in. long (ample room for two people) and stands 30 in. high to the top of the back. The seat is 13 in. from front to back.



RUBBISH BASKETS

Basket is heavy crimped wire, 1½-inch square mesh. Electrically welded to insure rigidity. Painted green.

Height, 29 in.; dia. bottom, 16 in.; dia. top, 20 in.; weight, each, including cover, 14½ lbs.



FOLDING CHAIR No. 371



CAST IRON VASE No. 42

Use **KENTUCKY** Settees

KENTUCKY Artistic *Wrought Iron*

Wrought iron furniture and fixtures inside the home, on the porches and terraces, and in the gardens, supply the valuable accent of contrast which completes and perfects the decorative picture and makes the environment charming.





No. 646

No. 646. (Without shade.) Old Colonial designs furnished the inspiration for this beautifully simple lamp with its adjustable arm that possesses the unusual faculty of staying in the position you want it. Height, 63". Extension of bridge, 11". Standard finish: Black and gold polychrome, **$20.00**
No. 646-A same as No. 646 without ash tray ___**$17.50**



No. 653

No. 653. 5-light electric torchere equipped with antiqued dripping candle bulb holders. Overall: Height, 68". Standard finish: Early Italian polychrome, **$65.00**



No. 58





No. 527 Table
No. 605 Mirror

No. 527 Half Round Console. Specially designed for a narrow wall space. This is a type of console that can be used with practically any period of furniture. Height to bottom of marble top, 30". Verde green marble top, 14" x 27¼". Standard finish: Black and gold polychrome.
Base _____**$36.00**
Marble _____ **24.00**

No. 605 Mirror. Though seemingly so delicate and fragile, the flowers and scrolls on this mirror are as strong as the frame itself. Frame, 16¼" x 24¼". **Overall**, 19" x 34¼". Standard finish. Black and gold polychrome ___**$42.00**



No. 761

No. 761. Verde antique marble top, 12" x 24" x ⅞" thick. Base 13½" x 25", ornamented with hand wrought rose sprays. Height, overall, 23". Standard finish: Black and gold polychrome. **$42.00**



No. 774

No. 774 Tea Server, with hexagonal pie-crust edged metal top and handle. Height, 22". Standard finish: Black and gold polychrome. **$9.50**

No. 561-B without handle _____**$8.50**



No. 504

No. 504. Verde green marble top, 18½" x 26½" x ⅞" thick. Height, 22" to bottom of marble top. Standard finish: Black and gold polychrome.
Base _____**$38.50**
Marble _____ **40.00**



No. 577

No. 577. Hand wrought base decorated with hand hammered vines and sprays and surmounted with 1 light Colonial electric lantern. Golden antique glass cylinder, 4" x 8". Height, 72". Standard finish: Black and gold polychrome ____**$38.00**

No. 588-A. 5-light floor candelabrum of very fine hand workmanship. Like all those on this page, its parts are all electrically welded. Height, 61". Spread, 16". Standard finish: Early Italian polychrome _____**$22.00**



No. 588-A



No. 582

No. 582. 5-light drip candle fixture of a type widely used in modern homes. Spread, 19". Standard finish: Antique bronze with antiqued drip candle fixtures. **$63.00**



No. 683

No. 683. Spanish design wall bracket with 2 electric drip candles. Height overall, 22". Width, 7". Back plate, 6¼" x 7". Extension, 5¼". Standard finish: Early Italian polychrome _____**$38.50**



No. 907

No. 907. Fern stand. Overall: Height of stand, 45". Standard finish: Black and gold polychrome.
Stand _____**$9.00**
Copper bowl 11"_ **2.00**



No. 543

No. 543. Bird cage stand, elaborately ornamented with hand wrought leaves and tendrils. Height, 75". Width of bow, 18". Standard finish: Early Italian polychrome.
Stand _____**$47.25**



No. 568

No. 568. Wall pocket for ivy or trailing vines. Fitted with galvanized iron receptacle. Height, 21", width, 12", extension from wall, 7". Standard finish: Black and gold polychrome. **$16.00**



No. 724



No. 664

No. 724. Decorative and durable fire screen with hand hammered iron frame and a wrought iron galleon mounted on the firm brass netting. Height, 30", width, 36¾", depth of base, 4½". Standard finish: Swedish iron with netting in brass _____**$42.00**

Without ship __ **34.00**
Spinning wheel instead of ship at_____**$42.00**

No. 664. One piece of heavy hammered iron forms the bottom and lower sides of this substantial log holder. Hand forged claw feet and twisted iron rings. Length, 21½", width, 19", height, 19". Standard finish: Swedish iron _____**$33.00**



No. 675

No. 675. Very complete fireset consisting of tongs, poker, log roller and shovel on stand. Height, 36½". Diameter of pan, 12½". Standard finish: Swedish iron _____**$42.00**




No. 704

No. 704. Back plate, 5½" x 7". Overall width, 9". Extension, 5". 2 electric drip candles. Standard finish: Early Italian polychrome _____**$21.00**



No. 756

No. 756. Twisted tripod standard with hand made leaves on base. 3 cigar rests, removable glass tray and match holder. Overall: Height, 26¾", diameter of pan, 8". Standard finish: Black and gold polychrome _____**$9.50**



No. 674

No. 674. Hand wrought, furnished with steel seat as illustrated, designed for use with cushion, or rattan seat. Height, 33¼", seat 14" square. Height of seat, 18". Standard finish: Black and gold polychrome. **$17.50**




No. 685

No. 685. Mail box, hand hammered and pierced. Overall, 8" x 12", depth, 4¼". Standard finish: Black and gold polychrome. **$11.00**

KENTUCKY Brass and Bronze Work


Brass Thresholds




4 INCH STYLE P




4 INCH STYLE C




5 INCH STYLE P



5 INCH STYLE C




BRONZE TABLETS



BRASS RAILINGS


KENTUCKY Bronze Work




BRONZE CHECK DESK



BRONZE CALENDAR RACK AND REFLECTOR




BRONZE CORNICE WICKET SAFETY GRILLE



BRONZE VAULT GRILLE

Use **KENTUCKY** Bronze Work

KENTUCKY Bronze Work



BRONZE VAULT GRILLE



BRONZE STAIR RAIL



BRONZE LAMP STANDARD

Use **KENTUCKY** Bronze Work

KENTUCKY IRON WORK CO.

INCORPORATED

521 S. SECOND ST.

LOUISVILLE,
KY.

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY
www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Tulane University | Southeastern Architectural Archive
Special Collections
Howard-Tilton Memorial Library

http://seaa.tulane.edu